

Remarks

Applicants have attached an abstract on a separate sheet of paper as required by U.S. practice. Applicants have amended the specification for purposes of adding the priority information. Claims 1-17, 19, 20 and 24-29 remain in this application. Claims 18 and 21-23 have been cancelled. Claims 3, 4, 5, 14, 15, 19, 20, 24, 26 and 29 have been amended to remove multiple dependency. A copy of the claims are attached for the Examiner's convenience. It is respectfully submitted that the present application is in condition for allowance. An early consideration and notice of allowance are earnestly solicited.

Respectfully submitted,

Date: 22 October 2001




Robert H. Brink
Attorney of Record
Registration No. 36,094

GlaxoSmithKline
Corporate Intellectual Property
Five Moore Drive, PO Box 13398
Research Triangle Park, NC 27709-3398
Telephone: 919-483-3323
Fax: 919-483-7988

Version With Markings To Show Changes Made

1. A compound of formula (I) or a pharmaceutically acceptable salt or solvate thereof,




(I)

wherein R^2 , R^3 , R^4 , and R^5 are independently H, halogen, -OH, -C₁₋₃alkyl, -C₁₋₃alkoxy, -SC₁₋₂alkyl, or -CF₃, with the proviso that at least 2 of R^2 , R^3 , R^4 , and R^5 are H;

R^6 is H or -CH₃;

R^1 is -S(O)_nR⁷ where n is 1 or 2, -S(O)₂NHR⁸, -C(O)R⁹, -NR¹⁴R¹⁵, -C(R¹⁷)=NOR¹⁶,




or a 5, 6, or 7 membered heteroalkyl or heteroaryl group optionally substituted with 1 or two groups selected from the group consisting of the following substituents for carbon: C₁₋₃alkyl, -CH₂CF₃, -CF₃, F, Cl, C₁₋₂alkoxy, C₁₋₂thioalkyl, and the following substituents for nitrogen: C₁₋₃alkyl and -CH₂C₁₋₂fluoroalkyl;

R^7 is C₁₋₃alkyl or C₁₋₂fluoroalkyl;

R^8 is C₁₋₃alkyl or -CH₂C₁₋₂fluoroalkyl;

R^9 is C₁₋₃alkyl optionally substituted with 1-3 fluorine atoms, -NR¹⁰R¹¹, -NHNR¹²R¹³, -CH₂SO₂CH₃,



R^{10} is H or C₁₋₂alkyl;

R^{11} is H, cyclopropyl, cyclopropylmethyl, C₃₋₆alkenyl with the proviso that any unsaturation is not adjacent to the depicted nitrogen, or C₁₋₆alkyl optionally substituted with hydroxy, C₁₋₃alkoxy, or 1-3 fluorine atoms with the proviso that the carbon atom in R^{11} that is bonded to the depicted nitrogen is not bonded to either a fluorine or an oxygen;

R^{12} is H or C₁₋₂alkyl;

R^{13} is H, C₃₋₅cycloalkyl, cyclopropylmethyl, -SO₂CH₃, -C(O)CH₃, C₃₋₆alkenyl with the proviso that any unsaturation is not adjacent to the depicted nitrogen, or C₁₋₆alkyl optionally substituted with hydroxy, C₁₋₃alkoxy, or 1-3 fluorine atoms with the proviso that the carbon atom in R^{13} that is bonded to the depicted nitrogen is not bonded to either a fluorine or an oxygen,;

R^{14} is H or C₁₋₂alkyl;

R^{15} is C₃₋₅cycloalkyl, cyclopropylmethyl, C₃₋₆alkenyl with the proviso that any unsaturation is not adjacent to the depicted nitrogen, or C₁₋₆alkyl optionally substituted with hydroxy, C₁₋₃alkoxy, or 1-3 fluorine atoms with the proviso that the carbon atom in R^{15} that is bonded to the depicted nitrogen is not bonded to either a fluorine or an oxygen;

R^{16} is C₁₋₂alkyl;

R^{17} is H or C₁₋₃alkyl;

R^{20} is H; and


R^{18} , R^{19} , R^{21} , and R^{22} are independently H, halogen, hydroxy, C₁₋₃alkyl, C₁₋₃alkoxy, -SC₁₋₂alkyl, or -CF₃ with the proviso that at least one of R^{18} , R^{19} , R^{21} , or R^{22} is other than H.

2. A compound of Claim 1 wherein R^2 , R^3 , and R^5 are H or F.

3. (AMENDED) A compound of [Claim 1 or] Claim 2 wherein R^4 = H, F, Cl, -OCH₃, or -CH₃.

4. (AMENDED) A compound of [any of] Claim [1] 3 wherein R^6 is H.

5. (AMENDED) A compound of [any of] Claim [1] 4 wherein R¹ is -
S(O)_nR⁷, S(O)₂NHR⁸,



where R²³ is H, C₁₋₃alkyl, or 2,2,2-trifluoroethyl, R²⁴ is H, C₁₋₃alkyl, or 2,2,2-trifluoroethyl, and R²⁵ is H, methyl, or ethyl.

6. A compound of Claim 5 where R¹ is

where R²³ is isopropyl or 2,2,2-trifluoroethyl, R²⁴ is methyl or ethyl, and R²⁵ is methyl, or ethyl.

7. A compound of Claim 5 wherein R¹ S(O)₂NHR⁸.

8. A compound of Claim 7 wherein R⁸ is CH₃.

9. A compound of Claim 5 wherein R¹ is -S(O)_nR⁷.

10. A compound of Claim 9 wherein n is 2 and R⁷ is CH₃.

11. A compound of Claim 1 selected from the group consisting of
2-[(4,5-dihydro-1H-imidazol-2-ylmethyl)amino]-N-propylbenzamide,
N-cyclopropyl-2-[(4,5-dihydro-1H-imidazol-2-ylmethyl)amino]benzamide,
2-[(4,5-dihydro-1H-imidazol-2-ylmethyl)amino]-N-methylbenzamide,
{2-[(4,5-dihydro-1H-imidazol-2-ylmethyl)amino]phenyl}(4-morpholinyl)methanone,
2-[(4,5-dihydro-1H-imidazol-2-ylmethyl)amino]-N,N-diethylbenzamide,
2-[(4,5-dihydro-1H-imidazol-2-ylmethyl)amino]-N-ethyl-N-methylbenzamide,
2-[(4,5-dihydro-1H-imidazol-2-ylmethyl)amino]-N-methyl-N-propylbenzamide,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-2-(1,3-oxazol-5-yl)aniline,

1-{2-[(4,5-dihydro-1H-imidazol-2-ylmethyl)amino]phenyl}-1-ethanone,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-2-(2-pyrazinyl)aniline,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-2-(2-methyl-1,3-thiazol-4-yl)aniline,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-2-(1-methyl-1H-pyrazol-3-yl)aniline,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-2-(1-methyl-1H-pyrazol-5-yl)aniline,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-2-(methylsulfonyl)aniline,
2-[(4,5-dihydro-1H-imidazol-2-ylmethyl)amino]-N-methylbenzenesulfonamide,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-2-(1-methyl-1H-pyrrol-2-yl)aniline,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-2-(1-ethyl-1H-pyrazol-3-yl)aniline,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-2-(1-ethyl-1H-pyrazol-5-yl)aniline,
2-[(4,5-dihydro-1H-imidazol-2-ylmethyl)amino]-N-ethylbenzenesulfonamide,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-2-(1-ethyl-1H-pyrrol-2-yl)aniline,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-2-[1-(2,2,2-trifluoroethyl)-1H-1,2,4-triazol-5-yl]aniline,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-2-(ethylsulfonyl)aniline,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-5-fluoro-2-(methylsulfonyl)aniline,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-5-chloro-2-(methylsulfonyl)aniline,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-5-methyl-2-(methylsulfonyl)aniline,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-5-methoxy-2-(methylsulfonyl)aniline,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-2-[1-isopropyl-1H-1,2,4-triazol-5-yl]aniline, and pharmaceutically acceptable salts and solvates thereof.

12. A compound of Claim 1 selected from the group consisting of
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-5-fluoro-2-(methylsulfonyl)aniline,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-2-(1-ethyl-1H-pyrazol-5-yl)aniline,
2-[(4,5-dihydro-1H-imidazol-2-ylmethyl)amino]-N-methylbenzenesulfonamide,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-2-[1-(2,2,2-trifluoroethyl)-1H-1,2,4-triazol-5-yl]aniline,
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-2-(methylsulfonyl)aniline, and
pharmaceutically acceptable salts and solvates thereof.

13. A compound of Claim 1 selected from the group consisting of
N-(4,5-dihydro-1H-imidazol-2-ylmethyl)-2-(methylsulfonyl)aniline and
pharmaceutically acceptable salts and solvates thereof.

14. (AMENDED) A compound of [any of] Claim 1 [-13] wherein said compound is an alpha-1A agonist.

15. (AMENDED) A method for prevention or treatment of an alpha-1A mediated disease or condition comprising administration of a therapeutically effective amount of a compound of [any of] Claim [1-] 14.


16. The method of Claim 15 wherein said disease or condition is urinary incontinence, nasal congestion, priapism, depression, anxiety, dementia, senility, Alzheimer's, deficiencies in attentiveness and cognition, and eating disorders such as obesity, bulimia, or anorexia.

17. The method of Claim 15 wherein said disease or condition is urinary incontinence.


19. (AMENDED) A pharmaceutical composition comprising a therapeutically effective amount of a compound of [any of] Claim[s] 1[-14].

20. A pharmaceutical composition according to Claim 19 further comprising a pharmaceutically acceptable diluent or carrier.

24. (AMENDED) A process for preparing a compound as claimed in [any one of] Claim[s] 1 [to 14] which comprises reacting a compound of formula II:



with a compound of formula III:



25. A process as claimed in Claim 24 wherein the reaction is carried out at a pH in the range of from 3.0 to 4.0.

26. (AMENDED) A process as claimed in Claim [24 or] 25 wherein the reaction is run in a protic solvent.

27. A process as claimed in Claim 26 wherein said protic solvent is selected from the group consisting of methanol, ethanol, methoxyethanol, isopropanol, butanol, and phenol.

28. A process as claimed in Claim 27 wherein the protic solvent is 2-butanol.

29. (AMENDED) A process as claimed in [any of] Claim[s 24-] 28 wherein the reaction is run at a temperature or temperatures of from 80 to 140°C.